EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2117	(distributed adj file adj system \$1) or ((proxy near3 server \$1) near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:39
S5	0	S2 and ((migrat\$3 or transfer \$4) with (another with server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:42
S4	1457	S2 and (migrat\$3 or transfer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:42
S7	496	S2 and (((migrat\$3 or transfer\$4) near5 (server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:43
S6	661	S2 and ((migrat\$3 or transfer \$4) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:43
S8	161	S2 and ((((migrat\$3 or transfer\$4) near file\$1) near5 (server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:49
S9	4	"645813".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 12:11
S10	2	"6453354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:25
S12	55472	"200300"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:41

S11	2	"20050192966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:41
S13	2	"20030093413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:42
S14	2	"20030093413" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:44
S16	6	"785995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:11
S17	2	"20040186861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:12
S15	3	"20020169794" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:12
S18	2	"20040186861" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:21
S19	1	"20030204562" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:25
S20	2	"20030195924" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:41

S21	2	"6442601".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:46
S22	2	"6026414" pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 12:38
S24	2	"5537585",pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 12:52
S26	181	migration near3 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:05
S25	1	"5452448",pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:05
S28	8	S27 and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:10
S30	37	((migrat\$4 or transfer\$4) near5 (request\$1 or message \$1)) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:11
S23	2	"5873103",pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:20
S35	5473	clsco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:27
S38	212	local adj director	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:28

S37	0	"L145" and (local adj director)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:28
S41	24	S40 and ((migrat\$4 or transfer \$4) near5 request\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S40	88	S39 and cisco	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S29	95	((migrat\$4 or transfer\$4) near5 (request\$1 or message \$1)) and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S32	85	((migrat\$4 or transfer\$4) near5 request\$1) and (migrat \$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:46
S42	6	"052039".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:06
S34	2	"6484204".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:06
S44	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 15:37
S43	2	"5544347".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06
S46	4	"645699".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 16:00

S47	2	"6256675".pn. and distributor \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 09:58
S45	2	"6256675".pn. and (access or history or situation or transmit \$4 or packet or migrator or migrat\$3 or transfer\$4 or portetermined or condition\$1 or request\$1 or *request*)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 09:58
S48	4	"62098 8" .ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 13:24
S49	1	"6609132".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 13:26
S50	1	"20040024790" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 16:16
S51	1	"6256675".pn. and replicator \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/13 09:08
S53	1	"20040210583" and return\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 09:27
S1	2	"20040210583"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 09:27
S55	4182	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or object\$1 or replica \$1 or cop\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:33
S62	1	"20040221024" and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/07/27 10:39

S61	0	"20040221024" and interval \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:39
S65	2	"20010002472" and interval \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:46
S52	2	"6256675",pn. and (interval \$1 or time\$1 or determined or predetermined or pre? determined or transfer\$3 or tag\$1 or mark or flag\$1 or stor\$3 or path or return\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 11:09
S67	2	"20040221024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 11:40
S69	1	"6256675".pn. and (delet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:21
S66	2	"6256675".pn. and (log\$4 or indicat\$3 or record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:21
S72	2	"20060036892" and (delet\$3 or path\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:27
S71	1	"20060036892" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:27
S73	1	"6256675",pn. and capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:43
S68	0	"6256675".pn. and (delet\$3 with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2007/07/27 12:43

S74	2840	(distributed adj file adj system \$1) or ((proxy near3 server \$1) near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:44
S3	1504	S2 and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:44
S77	226	migration near3 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S76	325	S74 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S75	754	S74 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S27	127	S26 and @ad<*20021201*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:47
S79	28	S77 and @prad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:48
S78	57	S77 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:48
S86	129	((migrat\$4 or transfer\$4) near5 request\$1) and (migrat \$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S85	14	\$83 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S82	197	S81 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49

S81	1700	S74 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S80	0	S78 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S33	59	S32 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S31	18	S30 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:49
S92	0	S91 and 707/10.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S91	3080	S89 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S90	809	S89 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S89	9188	cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S88	15	\$86 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S87	35	S86 and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50
S36	4298	S35 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50

S95	48	S93 and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S94	103	\$93 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S93	271	local adj director	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S39	150	S38 and @ad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:51
S98	1242	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 or cop\$3)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S97	30	(return\$3 with host\$1 with server with (file\$1 or object \$1 or replica\$1 or cop\$3)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S96	50	(return\$3 with host\$1 with server with (file\$1 or object \$1 or replica\$1 or cop\$3)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S57	2114	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S56	2484	(return\$3 near6 (host\$1 or server\$1 or dient\$1) near6 (file\$1 or replica\$1 or cop\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S54	98	(return\$3 with host\$1 with server with (file\$1 or object \$1 or replica\$1 or cop\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:52
S103	3	(((predetermined or pre? determined) adj interval\$1) near3 (execut\$3) near7 access\$3) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53

S102	0	(((predetermined or pre? determined) adj interval\$1) near3 (execut\$3) near7 access\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S101	37	S100 and 707/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S100	497	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S99	1060	(return\$3 near6 (host\$1 or server\$1 or dient\$1) near6 (file\$1 or replica\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S64	2	(((predetermined or pre? determined) adj interval\$1) near3 (execut\$3) near7 access\$3) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S105	506	(delet\$3 near3 (path\$1 or path?name\$1 or pathname \$1)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S104	433	(delet\$3 near3 (path\$1 or path?name\$1 or pathname \$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S70	1140	(delet\$3 near3 (path\$1 or path?name\$1 or pathname \$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S58	1883	(return\$3 near5 (host\$1 or server\$1 or client\$1) near5 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:54
S112	233	(return\$3 near3 (host\$1 or server\$1 or client\$1) near3 (file\$1 or replica\$1)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S111	572	(return\$3 near3 (host\$1 or server\$1 or client\$1) near3 (file\$1 or replica\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55

S110	24	S109 and 707/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S109	352	(return\$3 near4 (host\$1 or server\$1 or dient\$1) near4 (file\$1 or replica\$1)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S108	777	(return\$3 near4 (host\$1 or server\$1 or dient\$1) near4 (file\$1 or replica\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S107	448	(return\$3 near5 (host\$1 or server\$1 or dient\$1) near5 (file\$1 or replica\$1)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S106	951	(return\$3 near5 (host\$1 or server\$1 or client\$1) near5 (file\$1 or replica\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S60	1198	(return\$3 near3 (host\$1 or server\$1 or dient\$1) near3 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S59	1587	(return\$3 near4 (host\$1 or server\$1 or dient\$1) near4 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:55
S114	688	(((predetermined or pre? determined) adj interval\$1) near3 (execut\$3)) and @prad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:56
S113	144	(((predetermined or pre? determined) adj interval\$1) near3 (execut\$3)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:56
S63	677	(((predetermined or pre? determined) adj interval\$1) near3 (execut\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:56
S115	1705	((migrat\$3 or transfer\$4) near6 (advertis\$3 or broadcast\$3)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:57

S117	13	(migrat\$3 near6 (advertis\$3 or broadcast\$3) near7 packet \$1) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:59
S118	43	(migrat\$3 near6 (advertis\$3 or broadcast\$3)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:02
S119	1	(migrat\$3 with (file\$1 or data) with advertis\$3 with (message\$1 or packet\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:03
S121	2	((migrat\$3 with (file\$1 or data)) same advertis\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:04
S120	1	((migrat\$3 with (file\$1 or data)) same (advertis\$3 with (message\$1 or packet\$1))) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:04
S84	14	\$83 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:05
S83	62	((migrat\$4 or transfer\$4) near5 (request\$1 or message \$1)) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:06
S123	11	\$122 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:07
S122	33	((migrat\$4 or transfer\$4) with (packet\$1 or message \$1)) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:07
S116	141	((migrat\$3 or transfer\$4) near6 (advertis\$3 or broadcast\$3) near7 packet \$1) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:19
S124	115851	((transfer\$4 or migrat\$3 or off?load\$3 or offload\$3 or mov\$3) near5 (file\$1 or data or content\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:20

S125	12140	((transfer\$4 or migrat\$3 or off?load\$3 or off?load\$3 or offload\$3 or mov\$3) near5 (fille\$1 or data or content\$1) near6 (sen\$4 or advertis\$5 or message \$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:21
S126	483	((transfer\$4 or migrat\$3 or off?load\$3 or off?load\$3 or offload\$3 or mov\$3) near5 (file\$1 or data or content\$1) near6 (sen\$4 or advertis\$5 or message\$1) near6 after) and @rlad< 20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:22
S127	430	((transfer\$4 or migrat\$3 or off?load\$3 or off!load\$3 or mov\$3) near5 (file\$1 or data or content\$1) near5 (sen\$4 or advertis\$5 or message\$1) near6 after) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 13:55
S128	2	"20050071421"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 15:08
S130	1	"6256675".pn. and path\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 15:12
S129	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 15:12
S131	1	"20040210583" and ((return with request\$1) or (return with packet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:44
S132	1	"6256675".pn. and return\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:51
S135	322	S134 and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:56
S134	945	\$133 and ((migrat\$3 or transfer\$4) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:56

S133	3026	(distributed adj file adj system \$1) or ((proxy near3 server \$1) near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:56
S137	180	\$135 and (return\$3 near5 (file \$1 or director\$3 or record \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:57
S136	205	\$135 and (return\$3 with (file \$1 or director\$3 or record \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 12:57
S138	97	\$137 and ((return\$3 near5 file \$1) with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 13:35
S139	0	(return\$3 with migrat\$3 with file\$1 with request\$3) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 13:48
S140	9	(return\$3 same migrat\$3 same file\$1 same request\$3) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 13:49
S141	3875	(return near2 request\$3) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:20
S143	116	(((return near2 request\$3) with server\$1) same back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:21
S142	622	((return near2 request\$3) with server\$1) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:21
S145	32	(((return near1 request\$1) with server\$1) same back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:22
S144	82	(((return near1 request\$3) with server\$1) same back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:22

S146	178	((return near1 request\$1) and migrat\$3) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:24
S147	30	(((return near1 request\$1) and migrat\$3) and (return\$3 with source\$1)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:25
S148	1392	(migrat\$3 near5 (back or reverse)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:32
S149	31	S148 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:39
S151	0	S148 and (return same request\$3 same packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:45
S150	0	\$148 and (return with request \$3 with packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:45
S152	4	\$148 and (return near1 request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:46
S153	362	(request with return with file \$1) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:49
S157	23	S156 and (migrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S156	138	((request near5 return) near5 file\$1) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S155	141	((request near5 return) near6 file\$1) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50

S154	194	((request near5 return) with file\$1) and @rlad< "20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:50
S158	29	(request with migrat\$3 with back) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 14:52
S159	46	((load near2 balanc\$\$3) and (migrat\$3 near4 back)) and @rlad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 15:19
S160	2	"4771375" pn. and recall\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 15:46
S161	2	"20040210583" and (memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:29
L1	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 08:22
L2	1	"6256675".pn. and (repeat\$4 or regular\$2 or interval\$1 or (pre?determined or predetermined) or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 08:23
L3	1	"6256675".pn. and (repeat\$4 or regular\$2 or interval\$1 or (pre?determined or predetermined) or time\$1) and (request near2 metric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 08:29
L4	1	"6256675".pn. and (offload\$3 or off?load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 09:07
L5	2	"20070136393"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 09:56

4/25/2008 10:48:43 AM

C:\ Documents and Settings\ dmyint\ My Documents\ EAST\ Workspaces\ 10-645-699__1.wsp